## SLIDING RACK FOR GLASS M80-10

We manufacture sliding racks for glass pane storage (boxes with glass) or other panel materials (metal sheets, quartz sinters, polycarbonates, furniture boards).

We design and manufacture our racks from scratch in Poland.

The materials which we use for manufacturing hold the proper certificates of durability and they are subject to quality control on a continuous basis.

Storage racks consist of sliding and slightly inclined drawers.

They save up to 75% of space because all the partitions are parallel and they are separated every 10 millimetres. We also offer various sizes and load-bearing capacities. However, after consultations, we are able to manufacture a storage rack of different parameters, considering your individual conditions and requirements. The inclination of spans depends on assembly – it may be right hand sided or left hand sided. We recommend this storage rack especially to glass production facilities, stoneworks facilities, furniture production facilities and advertising companies, which want to use their space effectively.

The racks are delivered for self-assembly in a package. The assembly is very simple and easy owing to our long-term experience which allowed us to create a well-thought product which is attached with the assembly instructions, making the assembly trouble-free. In case of any problems, do not hesitate to contact our technical department. We also provide charged assembly services by our technicians in your location.

## M80-10 RACK TECHNICAL DATA

Intended use - single glass panes 255 cm x 160 cm

Maximum pane size - 275 cm x 170 cm

Number of partitions -10

The width of the storage strip for glass – 8 cm

The length of the storage strip for glass - 308 cm

The material on which glass is placed – wooden board 308 cm x 8 cm x 2.5 cm

Structure height (A) – 218 cm

Structure width (B)- 176 cm

Structure depth (C)-318 cm

Space needed for the correct use of the rack – 11 m2

Requirements for the ground – smooth/straight

The number of the partition guide bearings -8 pcs.

Front wheel – Ø 160 / reinforced polyamide

Rear wheel – steel wheel with a bearing / rolled along the profile

Colour - RAL 7040 (grey)

Anti-corrosion protection – phosphating and powder-coating of steel elements

Permissible load-bearing capacity of a single partition – 900 kg

Permissible load-bearing capacity of the whole rack - 9000 kg

Partitions inclination – left or right – depending on assembly

Assembly time - 4-5 hours

The number of people required for assembly – 2 people

## DOCUMENTS ATTACHED TO M80-10 RACK

- User's Manual
- Assembly Instructions
- Rating plate
- 12 months' warranty

The product is delivered as a whole ready for use. We also deliver our racks for glass to the EU countries and other countries.





